# MIAMI-DADE COUNTY, FLORIDA DEPARTMENT OF REGULATORY AND ECONOMIC RESOURCES PRODUCT CONTROL SECTION

## CHECKLIST #0270 FOR THE APPROVAL OF: SHUTTERS

- Basic Requirements Checklist.
- One set of the manufacturer's 'approval document' including:
  - a) All components indicating: dimensions, material grade, thickness, etc.
  - b) Installation details indicating: panel layouts and all mounting arrangements,
  - c) Anchors and fasteners used to secure the unit to each substrate indicating: type, size, spacing and minimum embedment, and
  - d) Maximum shutter span, minimum distance from glass and location of marking.
- Calculations for anchoring method of shutter assembly to the structure.
- Certified inspection report from mill supplying the shutter material indicating:
  - a) Chemical composition, and
  - b) Structural properties. (I.e. Fu, Fy, E & Elongation.)
- One set of manufacturer's design drawings marked and verified by the testing laboratory.

## The following current laboratory tests and test reports in compliance with protocol TAS 301.

- □ Uniform Static Air test per TAS202. Report deflection & recovery.
- □ Impact test per TAS201. Report deflection, penetration & rupture.
- □ Cyclic test per TAS203. Report deflection & recovery.
- Test verifying structural properties of materials used.

Revised: 9-1-12 Shutters


Internet mail address: bldgdept@miamidade.gov




### **Requirements for Roll-Up Shutters:**


#### Roll-Up Shutter Setup Combinations


Single Span Slat Applications Slat deflection not to exceed L/30 or 2"





Multiple Span Slat Applications Combined deflection not to exceed L/30 or 2"





Revised: 9-1-12

Shutters

Internet mail address: bldgdept@miamidade.gov




Homepage: http://www.miamidade.gov/economy

### **Requirements for Roll-Up Shutters:**

#### **Deflection Chart**

Showing multiple Roll-Up shutter setup with Header, Storm Bar and Slat combined deflections,



Revised: 9-1-12 Shutters

Internet mail address: bldgdept@miamidade.gov






## **Requirements for Roll-Up Shutters:**

#### **Deflection Chart** (Showing one option used to simplify design and calculations)

Showing multiple Roll-Up shutter setup with Header, Storm Bar and Slat maximum allowed deflections.



Revised: 9-1-12 Shutters

Internet mail address: bldgdept@miamidade.gov

