## MIAMI-DADE COUNTY, FLORIDA DEPARTMENT OF REGULATORY AND ECONOMIC RESOURCES PRODUCT CONTROL SECTION

## CHECKLIST #0230 FOR THE APPROVAL OF: GLASS ENCLOSED STRUCTURES (SOLARIUMS, ATRIUMS, SUN ROOMS, AND SIMILAR)

- Basic Requirements Checklist.
- One set of the manufacturer's 'approval document' including:
  - a. Extrusion and/or typical section with details, properties and all dimensions,
  - b. Assembly details, including reinforcements,
  - c. Fastener and connecting details including size and location, and
  - d. Connections of panel to the structural frame.
- All glass used in the walls of these structures shall use safety glass.
- All roof sections of these structures shall be laminated glass.
- Calculations verifying tested anchoring.
- Calculations verifying aluminum stresses according to The Aluminum Association Specifications.
- Calculations verifying steel stresses according to AISC Steel Construction Manual.
- One set of manufacturer's design drawings marked and verified by the testing laboratory.

## The following current laboratory tests and test reports in compliance with protocol TAS 301.

- □ Racking test, per ASTM E-72.
- □ Air infiltration test, uniform static air test, and water infiltration test per TAS202. (Deflection for load carrying members not to exceed L/180).
- Impact test, per TAS 201.
- □ Cyclic test, per TAS 203.
- □ Thermal Transmittance (U-factor) per checklist G.8 (See note 2)
- □ Solar Heat Gain Coefficient (SHGC) per checklist G.9 (See note 2)

## Notes:

- 1. If the system has plastic as a component, add the plastic checklist to these requirements.
- 2. Refer to checklist G.0 GSA Basic Submittal Requirements for use of this checklist and applicable GSA Template.

Revised: 9-1-12 Glass Enclosures

Internet mail address: bldgdept@miamidade.gov

